Gavin Newsom, Mayor Mitchell H. Katz, M.D. Director of Health

Rajiv Bhatla, M.D., M.P.H. Medical Director

Guide for Making Apartments Habitable & Free from Health & Safety Hazards

Required Conditions for housing units are:

Clear pathways to windows and doors (3ft wide space)

Nothing stacked over 4 feet.

Clear near sprinklers on ceiling.

No flammable items near heater or stove

No conditions to cause or spread fires

No defective Electrical wiring and plumbing.

Clearance near and access to electrical outlets

No unsanitary conditions

No Vermin (rats, mice, bed bugs, cockroaches) infestations

No decaying food or garbage (to attract vermin)

All rooms should be used for their designed purpose, example: Kitchen, bedroom, bathroom, etc.

Edwin Lee, Mayor Barbara Garcia, MPA Director of Health

OCCUPATIONAL & ENVIRONMENTAL HEALTH

Health and Fire Code Compliance Guidelines For Property Managers/Tenants

If any item below is checked (YES) as a result of Management recent inspection of the apartment or unit, appropriate action must be taken to correct the violation(s) or refer the case to Health or Fire Dept. Re-inspection fee will be charge on the second re-inspection and on additional re-inspections until violation is abated.

| YES | NO | S.F. Health Code |
|---------|---------|---|
| | | Unsanitary room with filth, spoiled food or garbage |
| | | Pest problems (rats, mice, spiders, bed bugs, cockroach and other insect infestations) |
| | | Accumulation of personal belongings covering all floor space and stockpiled over 4 feet, making bed inaccessible and unusable |
| | | Excessive storage blocking windows, sinks, bathrooms, entry door way or pathway |
| | | Flammable items stored near heaters, stoves or radiator heaters |
| | | Exposed electrical wiring, leaking and clogged plumbing |
| | | No clearance near electrical outlets or overloaded electrical outlet |
| | | Any unsanitary condition or nuisance injurious to health |
| | | Conditions that may cause fires—such as accumulation of newspapers or clothes |
| | , | S.F. Fire Code Section 315.2.1 |
| | | Combustible material stored less than 2 feet below a ceiling in non-sprinklered areas of building |
| | | Combustible material stored less than 18 inches below sprinkler head deflectors on ceiling in sprinklered areas of building |
| | | Any other violations suspected of causing a fire hazard in a unit or room - specify |
| Addres | | Dba: |
| Tenant | | Unit #: ; |
| ivianag | er's Na | me: |